

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
3COM	Comware	1910 24G PoE 365W	ROUTER	DDBASE.DEVICE
3COM	Comware	A7503	ROUTER	DDBASE.DEVICE
3COM	Comware	A7510	ROUTER	DDBASE.DEVICE
3COM	Comware	H3C S3100-EI	ROUTER	DDBASE.DEVICE
3COM	Comware	HP Comware	ROUTER	DDBASE.DEVICE
3COM	Comware	JD377A	ROUTER	DDBASE.DEVICE
3COM	Comware	MSR 50-40	ROUTER	DDBASE.DEVICE
3COM	Comware	MSR20-11	ROUTER	DDBASE.DEVICE
3COM	Comware	MSR20-12	ROUTER	DDBASE.DEVICE
3COM	Comware	MSR20-13	ROUTER	DDBASE.DEVICE
3COM	Comware	MSR20-15	ROUTER	DDBASE.DEVICE
3COM	Comware	MSR20-20	ROUTER	DDBASE.DEVICE
3COM	Comware	MSR20-21	ROUTER	DDBASE.DEVICE
3COM	Comware	MSR20-40	ROUTER	DDBASE.DEVICE
3COM	Comware	MSR30-10	ROUTER	DDBASE.DEVICE
3COM	Comware	MSR30-11	ROUTER	DDBASE.DEVICE
3COM	Comware	MSR30-16	ROUTER	DDBASE.DEVICE
3COM	Comware	MSR30-20	ROUTER	DDBASE.DEVICE
3COM	Comware	MSR30-40	ROUTER	DDBASE.DEVICE
3COM	Comware	MSR30-60	ROUTER	DDBASE.DEVICE
3COM	Comware	MSR50-60	ROUTER	DDBASE.DEVICE
3COM	Comware	MSR50-series	ROUTER	DDBASE.DEVICE
AEROHIVE	HiveOS	Generic AerohiveAP	WIRELESS ACCESS POINT	HIVE_AP
AEROHIVE	HiveOS	HiveAP1130	WIRELESS ACCESS POINT	HIVE_AP
AEROHIVE	HiveOS	HiveAP121	WIRELESS ACCESS POINT	HIVE_AP
AEROHIVE	HiveOS	HiveAP122	WIRELESS ACCESS POINT	HIVE_AP
AEROHIVE	HiveOS	HiveAP130	WIRELESS ACCESS POINT	HIVE_AP
AEROHIVE	HiveOS	HiveAP141	WIRELESS ACCESS POINT	HIVE_AP
AEROHIVE	HiveOS	HiveAP170	WIRELESS ACCESS POINT	HIVE_AP
AEROHIVE	HiveOS	HiveAP230	WIRELESS ACCESS POINT	HIVE_AP
AEROHIVE	HiveOS	HiveAP245X	WIRELESS ACCESS POINT	HIVE_AP
AEROHIVE	HiveOS	HiveAP250	WIRELESS ACCESS POINT	HIVE_AP
AEROHIVE	HiveOS	HiveAP330	WIRELESS ACCESS POINT	HIVE_AP
AEROHIVE	HiveOS	HiveAP350	WIRELESS ACCESS POINT	HIVE_AP



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
AEROHIVE	HiveOS	HiveAP370	WIRELESS ACCESS POINT	HIVE_AP
AEROHIVE	HiveOS	HiveAP390	WIRELESS ACCESS POINT	HIVE_AP
AEROHIVE	HiveOS	HiveAP550	WIRELESS ACCESS POINT	HIVE_AP
ALCATEL	Alcatel	OS6250-24	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6250-24M	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6250-24MD	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6250-8M	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6250-P24	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6450-24	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6450-24L	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6450-48	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6450-P10L	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6450-P24	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6450-P48	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6450-P48L	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-24	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-24L	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-24LU	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-24X	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-24XL	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-24XLU	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-48	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-48L	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-48LU	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-48X	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-48XL	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-48XLU	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-P24	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-P24L	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-P24LU	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-P24X	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-P24XL	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-P24XLU	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-P48	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-P48L	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-P48LU	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-P48X	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-P48XL	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-P48XLU	SWITCH	DDBASE.DEVICE

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
ALCATEL	Alcatel	OS6850-U24	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850-U24X	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850E-P48	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850E-P48X	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS6850E-U24X	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS9600	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS9600-CMM	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS9600E	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS9700	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS9700-CMM	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS9700E	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS9800	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS9800-CMM	SWITCH	DDBASE.DEVICE
ALCATEL	Alcatel	OS9800E	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7048T4S	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7048TA	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7050Q16	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7050Q16SSD	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7050S52	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7050S52SSD	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7050S64	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7050S64SSD	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7050T36	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7050T52	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7050T52SSD	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7050T64	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7050T64SSD	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7120T4S	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7124FX	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7124FXCL	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7124S	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7124SX	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7124SXSSD	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7140T8S	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7148S	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7148SX	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7150S24	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7150S24CL	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7150S24CLSSD	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7150S52CL	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7150S52CLSSD	SWITCH	DDBASE.DEVICE

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
ARISTA	AristaEOS	aristaDCS7150S64CL	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7504	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	aristaDCS7508	SWITCH	DDBASE.DEVICE
ARISTA	AristaEOS	ARISTASIM	SWITCH	DDBASE.DEVICE
ARUBA	ArubaOS	Access Point	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point 1200	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point 2E	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point 40	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point 41	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point 50	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point 52	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point 60	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point 61	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point 61a	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point 65	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point 70	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point 80M	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point 80MB	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point 80S	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point 80SB	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point Duo	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point Duo WJ	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point Mw1700	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Access Point WG 102	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	Aruba Family Device	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	IAP-277	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	IAP-314	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	IAP-315	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	IAP-334	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	IAP-335	SWITCH	INSTANT_ACCESS_POINT



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
ARUBA	ArubaOS	Mobility Controller	SWITCH	CONTROLLER
ARUBA	ArubaOS	Mobility Controller 200	SWITCH	CONTROLLER
ARUBA	ArubaOS	Mobility Controller 2400	SWITCH	CONTROLLER
ARUBA	ArubaOS	Mobility Controller 2400E	SWITCH	CONTROLLER
ARUBA	ArubaOS	Mobility Controller 2424	SWITCH	CONTROLLER
ARUBA	ArubaOS	Mobility Controller 3400	SWITCH	CONTROLLER
ARUBA	ArubaOS	Mobility Controller 5000	SWITCH	CONTROLLER
ARUBA	ArubaOS	Mobility Controller 6000	SWITCH	CONTROLLER
ARUBA	ArubaOS	Mobility Controller 7240	SWITCH	CONTROLLER
ARUBA	ArubaOS	Mobility Controller 800	SWITCH	CONTROLLER
ARUBA	ArubaOS	Mobility Controller 800E	SWITCH	CONTROLLER
ARUBA	ArubaOS	Mobility Controller 804	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect Access Point Family Device	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-3200	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect W-3400	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect W-3600	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect W-6000M3	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect W-620	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect W-650	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect W-651	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect W-7005	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect W-7008	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect W-7010	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect W-7024	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect W-7025	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect W-7030	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect W-7210	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect W-7220	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect W-7240	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect W-7240XM	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect W-7280	SWITCH	CONTROLLER
ARUBA	ArubaOS	PowerConnect W-AP103H	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-AP124	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-AP125	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-AP175AC Outdoor (DC)	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-AP68	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-AP68P	WIRELESS ACCESS POINT	ACCESS_POINT

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
ARUBA	ArubaOS	PowerConnect W-AP93H	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP 204	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP 205	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP 205H	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP 228	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP 277	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP 324	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP 325	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP103	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP104	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP105	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP108	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP109	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP114	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP115	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP134	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP135	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP155	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP155P	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP175	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP175AC	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP175P	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP214 (11n/11ac)	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP215 (11n/11ac)	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP224 (11ac)	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP225 (11ac)	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP274 (Outdoor/11n/11ac)	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP275 (Outdoor/11n/11ac)	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP314	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP315	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP334	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP335	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP3WN	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP3WNP	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP92	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-IAP93	SWITCH	INSTANT_ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-RAP2WG	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-RAP5	WIRELESS ACCESS POINT	ACCESS_POINT
ARUBA	ArubaOS	PowerConnect W-RAP5WN	WIRELESS ACCESS POINT	ACCESS_POINT



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
BIGSWITCH	Switchlight OS	Big Switch	SWITCH	DDBASE.DEVICE
BROCADE	IronWare	ADX 1000 Router	SWITCH	ServerIronADX
BROCADE	IronWare	ADX 10000 Router	SWITCH	ServerIronADX
BROCADE	IronWare	ADX 4000 Router	SWITCH	ServerIronADX
BROCADE	Brocade Fabric OS	AP7600	HYPERVISOR	DDBASE.DEVICE
BROCADE	Brocade Fabric OS	Connectrix ED-480000B	HYPERVISOR	DDBASE.DEVICE
BROCADE	IronWare	FCX 624	SWITCH / ROUTER	FastIron_CX
BROCADE	IronWare	FCX 624 Advanced Router	SWITCH / ROUTER	DDBASE.DEVICE
BROCADE	IronWare	FCX 624 Base L3 Router	SWITCH / ROUTER	DDBASE.DEVICE
BROCADE	IronWare	FCX 624 Router	SWITCH / ROUTER	DDBASE.DEVICE
BROCADE	IronWare	FCX 624S Advanced Router	SWITCH / ROUTER	DDBASE.DEVICE
BROCADE	IronWare	FCX 624S Base L3 Router	SWITCH / ROUTER	DDBASE.DEVICE
BROCADE	IronWare	FCX 624S Router	SWITCH / ROUTER	DDBASE.DEVICE
BROCADE	IronWare	FCX 624S Switch	SWITCH / ROUTER	FastIron_CX
BROCADE	IronWare	FCX-648 Advanced Router	SWITCH / ROUTER	DDBASE.DEVICE
BROCADE	IronWare	FCX-648 Base L3 Router	SWITCH / ROUTER	DDBASE.DEVICE
BROCADE	IronWare	FCX-648 Switch	SWITCH / ROUTER	FastIron_CX
BROCADE	IronWare	FCX-648-Router	SWITCH / ROUTER	BigIron_RX
BROCADE	IronWare	FCX-648S Advanced Router	SWITCH / ROUTER	DDBASE.DEVICE
BROCADE	IronWare	FCX-648S Base L3 Router	SWITCH / ROUTER	DDBASE.DEVICE
BROCADE	IronWare	FCX-648S Router	SWITCH / ROUTER	DDBASE.DEVICE
BROCADE	IronWare	FCX-648S Stack FCX	SWITCH / ROUTER	FastIron_CX
BROCADE	IronWare	FCX-648S Switch	SWITCH / ROUTER	FastIron_CX
BROCADE	Brocade Fabric OS	Glory 8000/8000e	SWITCH	DDBASE.DEVICE
BROCADE	Brocade Fabric OS	Glory DCX4S	SWITCH	DDBASE.DEVICE
BROCADE	Brocade Fabric OS	Glory M8428K	SWITCH	DDBASE.DEVICE
BROCADE	IronWare	MLXe _16	SWITCH / ROUTER	MLXe_Router
BROCADE	IronWare	MLXe _16 Switch	SWITCH / ROUTER	MLXe_Router
BROCADE	IronWare	MLXe 4	SWITCH / ROUTER	MLXe_Router
BROCADE	IronWare	MLXe 4 Switch	SWITCH / ROUTER	MLXe_Router
BROCADE	IronWare	MLXe-8	SWITCH / ROUTER	MLXe_Router
BROCADE	IronWare	MLXe-8 Switch	SWITCH / ROUTER	MLXe_Router
BROCADE	IronWare	RX-16 Router	ROUTER	BigIron_RX
BROCADE	IronWare	RX-16 Switch	SWITCH / ROUTER	DDBASE.DEVICE
BROCADE	IronWare	RX-4 Router	SWITCH / ROUTER	DDBASE.DEVICE
BROCADE	IronWare	RX-4 Switch	SWITCH / ROUTER	DDBASE.DEVICE
BROCADE	IronWare	RX-8 Router	SWITCH / ROUTER	BigIron_RX
BROCADE	IronWare	RX-8 Switch	SWITCH / ROUTER	DDBASE.DEVICE
BROCADE	IronWare	ServerIronGT E 1000 Router	SWITCH / ROUTER	ServerIron_GT
BROCADE	IronWare	ServerIronGT E 1000 Switch	SWITCH / ROUTER	ServerIron_GT



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
BROCADE	Brocade Fabric OS	Silkworm 2800, 4100 ,B-DC 4XS, B-8000, M8428-K	HYPERVISOR	DDBASE.DEVICE
BROCADE	IronWare	Turbolron Router	SWITCH / ROUTER	Turbolron
BROCADE	IronWare	Turbolron Switch	SWITCH / ROUTER	Turbolron
CISCO	Cisco IOS	801	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	802	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	803	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	804	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	805	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	806	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	811	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	813	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	819	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	826	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	827	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	828	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	831	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	836	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	837	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	851	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	857	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	860	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	861	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	867	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	871	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	876	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	877	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	878	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	881	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	888	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	891	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	892	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1000	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1003	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1004	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1005	ROUTER	DDBASE.DEVICE
CISCO	NXOS	1010	SWITCH	NEXUS_SWITCH
CISCO	Cisco IOS	1401	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1407	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1417	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1502	ROUTER	DDBASE.DEVICE



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	Cisco IOS	1503	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1601	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1602	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1603	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1604	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1605	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1701	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1710	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1711	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1712	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1720	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1721	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1750	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1751	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1760	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1801	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1802	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1803	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1811	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1812	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1841	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1900	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1905	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1941	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2000	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2102	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2202	ROUTER	DDBASE.DEVICE
CISCO	NXOS	2224	SWITCH	NEXUS_SWITCH
CISCO	NXOS	2232	SWITCH	NEXUS_SWITCH
CISCO	NXOS	2248	SWITCH	NEXUS_SWITCH
CISCO	Cisco IOS	2501	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2502	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2503	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2504	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2505	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2506	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2507	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2508	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2509	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2510	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2511	ROUTER	DDBASE.DEVICE



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	Cisco IOS	2512	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2513	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2514	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2515	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2516	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2517	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2518	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2519	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2520	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2521	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2522	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2523	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2524	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2525	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2610	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2611	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2612	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2613	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2620	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2621	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2650	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2651	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2691	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2801	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2811	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2821	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2851	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2901	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2911	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2921	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2951	ROUTER	DDBASE.DEVICE
CISCO	NXOS	3016	SWITCH	NEXUS_SWITCH
CISCO	NXOS	3048	SWITCH	NEXUS_SWITCH
CISCO	NXOS	3064	SWITCH	NEXUS_SWITCH
CISCO	NXOS	3548	SWITCH	NEXUS_SWITCH
CISCO	Cisco IOS	3560	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3620	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	3640	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	3660	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	3725	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	3745	ROUTER	DDBASE.DEVICE

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	Cisco IOS	3825	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	3845	ROUTER	DDBASE.DEVICE
CISCO	Cisco CATOS	3900	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3925	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	3945	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	4000	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	4006	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	4200	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	4500	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	4503	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	4506	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	4507	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	4510	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	4700	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	4948	SWITCH	DDBASE.DEVICE
CISCO	NXOS	5010	SWITCH	NEXUS_SWITCH
CISCO	NXOS	5020	SWITCH	NEXUS_SWITCH
CISCO	NXOS	5548	SWITCH	NEXUS_SWITCH
CISCO	NXOS	5596	SWITCH	NEXUS_SWITCH
CISCO	Cisco CATOS	6006	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	6009	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	6500	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	6503	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco CATOS	6504	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	6504	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	6506	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	6509	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	6513	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	NXOS	7004	SWITCH	NEXUS_SWITCH
CISCO	NXOS	7009	SWITCH	NEXUS_SWITCH
CISCO	NXOS	7010	SWITCH	NEXUS_SWITCH
CISCO	NXOS	7018	SWITCH	NEXUS_SWITCH
CISCO	Cisco IOS	7202	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7204	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7206	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7301	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7304	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7505	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7507	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7513	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7576	ROUTER	DDBASE.DEVICE

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	Cisco IOS	7604	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7609	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7613	ROUTER	DDBASE.DEVICE
CISCO	NXOS	7710	SWITCH	NEXUS_SWITCH
CISCO	NXOS	7718	SWITCH	NEXUS_SWITCH
CISCO	NXOS	9504	SWITCH	NEXUS_SWITCH
CISCO	Cisco IOS	10005	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	10008	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	10012	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	10400	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	10720	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	12004	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	12006	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	12008	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	12010	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	12012	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	12016	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	12404	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	12406	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	12410	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	12416	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	295012	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	295024	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	7120000	ROUTER	DDBASE.DEVICE
CISCO	NXOS	1000V	SWITCH	NEXUS_SWITCH
CISCO	Cisco IOS-XR	12004(XR)	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS-XR	12006(XR)	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS-XR	12008(XR)	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS-XR	12010(XR)	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS-XR	12012(XR)	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS-XR	12016(XR)	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS-XR	12404(XR)	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS-XR	12406(XR)	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS-XR	12410(XR)	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS-XR	12416(XR)	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS-XR	12810(XR)	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS-XR	12816(XR)	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS	1538M	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1548M	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1841-C/K9	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1906CK9	ROUTER	DDBASE.DEVICE

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	Cisco IOS	1921K9	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1921K9	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	1941W	ROUTER	DDBASE.DEVICE
CISCO	NXOS	2232PP	SWITCH	NEXUS_SWITCH
CISCO	NXOS	2232T-10	SWITCH	NEXUS_SWITCH
CISCO	NXOS	2232TME-10	SWITCH	NEXUS_SWITCH
CISCO	NXOS	2248G	SWITCH	NEXUS_SWITCH
CISCO	NXOS	2248PQ	SWITCH	NEXUS_SWITCH
CISCO	NXOS	2248TP	SWITCH	NEXUS_SWITCH
CISCO	NXOS	2248TP-E	SWITCH	NEXUS_SWITCH
CISCO	NXOS	2332TQ	SWITCH	NEXUS_SWITCH
CISCO	NXOS	2348TQ	SWITCH	NEXUS_SWITCH
CISCO	NXOS	2348UPQ	SWITCH	NEXUS_SWITCH
CISCO	Cisco IOS	2400-24TS A	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2400-24TS D	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2420IAD	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2504 K9	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2520-16S-8PC	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2520-24TC	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2610M	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2610XM	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2611M	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2611XM	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2620XM	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2621XM	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2650XM	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2651XM	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2801-C/K9	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2811-C/K9	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2821-C/K9	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2851-C/K9	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	2908xl	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2912fxl	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2912LREXL	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2912mxl	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2916xl	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2924cxl	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2924fcx1	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2924fx1	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2924LREXL	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2924mxl	SWITCH	DDBASE.DEVICE

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	Cisco IOS	2924XL	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	2924xl(CatOS)	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	2948G	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	2948G-GE-TX	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2948GL3	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2948gL3	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	295012G	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	295024C	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	295024G	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	295024GDC	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	295024LREG	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	295024LRESt	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	295024S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	295024SX	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	295048G	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	295048SX	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	295048T	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	29508LRESt	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2950T	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2955C12	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2955S12	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2955T12	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960-24-S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960-24LC-S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960-24LT-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960-24PC-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960-24PC-S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960-24TC	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960-24TC-S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960-24TT	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960-48PST-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960-48PST-S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960-48TC	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960-48TC-S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960-48TT	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960-48TT-S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960-8TC	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960-8TC-S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960-S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960G-24TC	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960G-8TC	SWITCH	DDBASE.DEVICE

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	Cisco IOS	2960PD-8TT-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960S-24PD-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960S-24PS-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960S-48FPD-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960S-48FPS-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960S-48LPD-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2960S-48LPS-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	2970G-24TS-E	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	2980G	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	2980G-A	SWITCH	DDBASE.DEVICE
CISCO	NXOS	3064P	SWITCH	NEXUS_SWITCH
CISCO	NXOS	3064P-10	SWITCH	NEXUS_SWITCH
CISCO	NXOS	3064T-10	SWITCH	NEXUS_SWITCH
CISCO	NXOS	3132Q40GE	SWITCH	NEXUS_SWITCH
CISCO	NXOS	3132Q40GEOE	SWITCH	NEXUS_SWITCH
CISCO	NXOS	3132Q40GS	SWITCH	NEXUS_SWITCH
CISCO	NXOS	3132Q40GX	SWITCH	NEXUS_SWITCH
CISCO	NXOS	3132QV	SWITCH	NEXUS_SWITCH
CISCO	NXOS	3132QVOE	SWITCH	NEXUS_SWITCH
CISCO	NXOS	3132QXL40GX	SWITCH	NEXUS_SWITCH
CISCO	NXOS	3132QXOE	SWITCH	NEXUS_SWITCH
CISCO	Cisco IOS	3400-24TS A	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3400-24TS-D	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3400E-24TS M	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3400EG-12CS M	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3400EG-2CS A	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3400G-12CS A	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3400G-12CS D	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3400G-2CS A	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3508G-XL	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3512XL	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3524tXLEn	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3524XL	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3548XL	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3550-12G	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3550-12T	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3550-24	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3550-24-DC	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3550-24Mmf	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3550-48	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3550PWR-24	SWITCH	DDBASE.DEVICE



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	Cisco IOS	3560-48TS	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3560-8PC	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	356024PS	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	356048PS	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3560E-24PD	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3560E-24TD	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3560E-48PD	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3560E-48TD	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3560G24PS	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3560G24TS	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3560G48PS	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3560G48TS	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3560X-24	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3560X-24P	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3560X-48	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3560X-48P	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3600X-24TS	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3650-24PD	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3650-24PS	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3650-24TD	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3650-24TS	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3650-48PD-E	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3650-48PQ	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3650-48PS	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3650-48TD	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3650-48TQ	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3650-48TS-E	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3661Ac	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	3661Dc	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	3662Ac	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	3662AcCo	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	3662Dc	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	3662DcCo	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	3750_24	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3750_24T	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3750_24TS	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3750_48	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	375024ME	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3750E-24PD	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3750E-24TD	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3750E-48PD	SWITCH	DDBASE.DEVICE



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	Cisco IOS	3750E-48TD	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3750G16TD	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3750Ge12Sfp	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3750X-24	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3750X-24P	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3750X-48	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3750X-48P	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	37xxStack	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3800X-24FSM	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3825-C/K9	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	3825-CNV/K9	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	3845-C/K9	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	3845-CNV/K9	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	3850-24P	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3850-24P-S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3850-24U-E	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3850-48P-E	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3850-48P-S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3850-48U-E	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	3925-E	ROUTER	DDBASE.DEVICE
CISCO	Cisco CATOS	4000NAM	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	4000RSC	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	4006(CatOS)	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	4006SW	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	4500-L3	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	4503SW	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	4506SW	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	4840GL3	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	4908GL3	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	4912GSW	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	4924-10GE	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	494810GE	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	4kGateway	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	5000SW	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	5002SW	SWITCH	DDBASE.DEVICE
CISCO	NXOS	5020A	SWITCH	NEXUS_SWITCH
CISCO	Cisco IOS	5300AS	ROUTER	DDBASE.DEVICE
CISCO	Cisco CATOS	5500SW	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	5505SW	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	5509SW	SWITCH	DDBASE.DEVICE
CISCO	NXOS	5548U	SWITCH	NEXUS_SWITCH



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	NXOS	5596T	SWITCH	NEXUS_SWITCH
CISCO	NXOS	56128P	SWITCH	NEXUS_SWITCH
CISCO	NXOS	5648Q	SWITCH	NEXUS_SWITCH
CISCO	NXOS	5672UP	SWITCH	NEXUS_SWITCH
CISCO	Cisco IOS	5kRsfc	SWITCH	DDBASE.DEVICE
CISCO	NXOS	6001-64P	SWITCH	NEXUS_SWITCH
CISCO	NXOS	6001-64T	SWITCH	NEXUS_SWITCH
CISCO	NXOS	6004-96Q	SWITCH	NEXUS_SWITCH
CISCO	Cisco IOS	6006IOS	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	6009IOS	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	6500-VSS-1440	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	6503WSC	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	6506(CatOS)	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco CATOS	6506NEB	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	6506WSC	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	6509-SP	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	6509(CatOS)	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco CATOS	6509NEB	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	6509WSC	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	6513WSC	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	6524 GS-8S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	6524 GT-8S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	6K MSFC 2A Module	BLADE SERVER	DDBASE.DEVICE
CISCO	Cisco IOS	6kGateway	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	7120Ae3	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7120At3	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7120Quadt1	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7120Smi3	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7120T3	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7140Dualae3	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7140Dualat3	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7140Duale3	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7140Dualfe	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7140Dualmm3	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7140Dualt3	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7140Octt1	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7150Dualfe	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7150Dualt3	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7150Octt1	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7204VXR	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7206VXR	ROUTER	DDBASE.DEVICE

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	Cisco IOS	7401ASR	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7401VXR	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7507mx	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7507z	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7513mx	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7513z	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7603-IOS	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7603-S	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7603(WC-C6503)	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7604(WC-C6504-E)	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7606-IOS	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7606-S	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7606(WC-C6506)	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7606(WC-C6509-NEB)	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7609-S	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7609-S(866)	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7609(C6509SP)	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7609(WC-C6509-NEB-A)	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7609(WC-C6509)	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7613(C6513)	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7613(WC-C6503)	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	7613(WC-C6513)	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	826-4U	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	827_4V	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	827H	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	8510CSR	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	8510MSR	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	8515CSR	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	8515MSR	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	8540CSR	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	8540MSR	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	886VA	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	886VAM	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	887VA	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	887VA-SEC-K9	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	887VAM	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	890Ap	ROUTER	DDBASE.DEVICE
CISCO	NXOS	9332PQ	SWITCH	NEXUS_SWITCH
CISCO	NXOS	9372-PX-E	SWITCH	NEXUS_SWITCH
CISCO	NXOS	9372-TX-E	SWITCH	NEXUS_SWITCH
CISCO	NXOS	9372PX	SWITCH	NEXUS_SWITCH

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	NXOS	9372TX	SWITCH	NEXUS_SWITCH
CISCO	NXOS	9396PX	SWITCH	NEXUS_SWITCH
CISCO	NXOS	9396TX	SWITCH	NEXUS_SWITCH
CISCO	Cisco IOS	A901-4C-F-D	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	A901-4C-FT-D	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	A903	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	AON Module	BLADE SERVER	DDBASE.DEVICE
CISCO	NXOS	APIC	SWITCH	NEXUS_SWITCH
CISCO	Cisco PIX/ASA	ASA Family Device	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco IOS	ASR 1001	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	ASR 1002	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	ASR 1002-F	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	ASR 1002-X	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	ASR 1004	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	ASR 1006	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	ASR 1006-X	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	ASR 1013	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	ASR 902	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	ASR 920 12 CZA	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	ASR 920 24 SZIM	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS-XR	ASR9001	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS-XR	ASR9006	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS-XR	ASR9010DC	ROUTER	DEVICE.DDBASE
CISCO	Cisco CATOS	C2900SW	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	C2926SW	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C29408TF	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C29408TT	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960X-24PD-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960X-24PS-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960X-24PS-S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960X-24PSQ-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960X-24TD-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960X-24TS-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960X-24TS-LL	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960X-24TS-S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960X-48FPD-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960X-48FPS-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960X-48LPD-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960X-48LPS-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960X-48LPS-S	SWITCH	DDBASE.DEVICE

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	Cisco IOS	C2960X-48TD-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960X-48TS-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960X-48TS-LL	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960X-48TS-S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960XS-24PD-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960XS-24PS-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960XS-24TD-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960XS-24TS-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960XS-48FPD-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960XS-48FPS-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960XS-48LPD-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960XS-48LPS-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960XS-48LTD-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2960XS-48TS-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2970-24	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C2975	SWITCH	DDBASE.DEVICE
CISCO	NXOS	C3172PQ-10GE	SWITCH	NEXUS_SWITCH
CISCO	NXOS	C3172TQ-10GT	SWITCH	NEXUS_SWITCH
CISCO	Cisco IOS	C4510R	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C6807-XL	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	C6807-XL	SWITCH	DDBASE.DEVICE
CISCO	NXOS	C92160YC-X	SWITCH	NEXUS_SWITCH
CISCO	Cisco IOS	C9300	SWITCH	DDBASE.DEVICE
CISCO	NXOS	C93180YC-EX	SWITCH	NEXUS_SWITCH
CISCO	NXOS	C93180YC-FX	SWITCH	NEXUS_SWITCH
CISCO	NXOS	C9372PX-E	SWITCH	NEXUS_SWITCH
CISCO	NXOS	C9372TX-E	SWITCH	NEXUS_SWITCH
CISCO	Cisco IOS	C9500	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	cat3850	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	cat4500X32	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	Cat6000	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	Catalyst 3650 Stack	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	CBR	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	CBS-3100	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	CBS-3110	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	CBS-3120	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	CBS-3130	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	CGR-2010/K9	ROUTER	DDBASE.DEVICE
CISCO	Cisco PIX/ASA	Cisco ASA 5505	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5510	FIREWALL VPN APPLIANCE	ASA

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	Cisco PIX/ASA	Cisco ASA 5510sc	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5510sy	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5515-X	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5515-X NPE	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5515-X NPE SC	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5515-X SC	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5520	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5520sc	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5520sy	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5525	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5525 SC	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5525-X K7	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5525-X SC	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5540	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5540sc	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5540sy	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5550	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5550sc	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5550sy	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5580	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5580sc	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5580sy	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5585 SSP-10SY	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5585 SSP-20	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5585 SSP-20SY	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5585 SSP-40SY	FIREWALL VPN APPLIANCE	ASA

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	Cisco PIX/ASA	Cisco ASA 5585 SSP-60	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5585 SSP-60SY	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5585-X SSP-10	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5585-X SSP-10SC	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5585-X SSP-20SC	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5585-X SSP-40	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5585-X SSP-40SC	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5585-X SSP-60	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco ASA 5585-X SSP-60SC	FIREWALL VPN APPLIANCE	ASA
CISCO	CiscoMailSecurity	Cisco Mail Security	CiscoESA	DDBASE.DEVICE
CISCO	NXOS	Cisco Nexus Family Device	SWITCH	NEXUS_SWITCH
CISCO	Cisco PIX/ASA	Cisco PIX Family Device	FIREWALL VPN APPLIANCE	ASA
CISCO	Cisco PIX/ASA	Cisco PIX Firewall	FIREWALL VPN APPLIANCE	PIX
CISCO	Cisco PIX/ASA	Cisco PIX Firewall 501	FIREWALL VPN APPLIANCE	PIX
CISCO	Cisco PIX/ASA	Cisco PIX Firewall 506	FIREWALL VPN APPLIANCE	PIX
CISCO	Cisco PIX/ASA	Cisco PIX Firewall 506E	FIREWALL VPN APPLIANCE	PIX
CISCO	Cisco PIX/ASA	Cisco PIX Firewall 515	FIREWALL VPN APPLIANCE	PIX
CISCO	Cisco PIX/ASA	Cisco PIX Firewall 515E	FIREWALL VPN APPLIANCE	PIX
CISCO	Cisco PIX/ASA	Cisco PIX Firewall 515Esc	FIREWALL VPN APPLIANCE	PIX
CISCO	Cisco PIX/ASA	Cisco PIX Firewall 515Esy	FIREWALL VPN APPLIANCE	PIX
CISCO	Cisco PIX/ASA	Cisco PIX Firewall 515sc	FIREWALL VPN APPLIANCE	PIX
CISCO	Cisco PIX/ASA	Cisco PIX Firewall 515sy	FIREWALL VPN APPLIANCE	PIX
CISCO	Cisco PIX/ASA	Cisco PIX Firewall 520	FIREWALL VPN APPLIANCE	PIX
CISCO	Cisco PIX/ASA	Cisco PIX Firewall 525	FIREWALL VPN APPLIANCE	PIX
CISCO	Cisco PIX/ASA	Cisco PIX Firewall 525sc	FIREWALL VPN APPLIANCE	PIX
CISCO	Cisco PIX/ASA	Cisco PIX Firewall 525sy	FIREWALL VPN APPLIANCE	PIX
CISCO	Cisco PIX/ASA	Cisco PIX Firewall 535	FIREWALL VPN APPLIANCE	PIX

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	Cisco PIX/ASA	Cisco PIX Firewall 535sc	FIREWALL VPN APPLIANCE	PIX
CISCO	Cisco PIX/ASA	Cisco PIX Firewall 535sy	FIREWALL VPN APPLIANCE	PIX
CISCO	Redfish Instance	CISCO USC IMC	SERVER	SLM-ComputerSystem
CISCO	NXOS	Cisco Wireless Controller 5508	WIRELESS CONTROLLER	DDBASE.DEVICE
CISCO	Cisco IOS-XR	CRS1-16Slot	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS-XR	CRS1-4Slot	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS-XR	CRS1-8Linecard	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS-XR	CRS1-8Slot	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS-XR	CRS1-Fabric	ROUTER	DEVICE.DDBASE
CISCO	Cisco IOS	CSR1000V	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	Express50012TC	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	Express50024LC	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	Express50024PC	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	Express50024TT	SWITCH	DDBASE.DEVICE
CISCO	CISCONETFLOW	FCNF1010	FIREWALL	DDBASE.DEVICE
CISCO	Cisco IOS	Firewall Module	BLADE SERVER	DDBASE.DEVICE
CISCO	Cisco IOS	IAD2430-24FXS	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	IAD2431-16FXS	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	IAD2431-1T1E1	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	IAD2431-8FXS	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	IAD2432-24FXS	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	IAD2435-8FXS	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	IE-2000-16PTC-G-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	IE-30004-TC	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	IE-30008-TC	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	IE-3010-16S-8PC	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	IE-3010-24TC	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	IOS Device	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS-XR	IOS XR Family Device	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	ISR 4321B	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	ISR 4331	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	ISR 4331B	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	ISR 4351/K9	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	ISR 4351B	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	ISR 4431	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	ISR 4451-X/K9	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	ISR 4451B	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	LS1010_DEVICE	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	LS1015_DEVICE	SWITCH	DDBASE.DEVICE
CISCO	N/A	MDS 9120	HYPERVISOR	MDS



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	N/A	MDS 9140	HYPERVISOR	MDS
CISCO	N/A	MDS 9216	HYPERVISOR	MDS
CISCO	N/A	MDS 9216A	HYPERVISOR	MDS
CISCO	NXOS	MDS 9300	SWITCH	NEXUS_SWITCH
CISCO	N/A	MDS 9506	HYPERVISOR	MDS
CISCO	N/A	MDS 9509	HYPERVISOR	MDS
CISCO	Cisco IOS	MSFC	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	MWR 2941-DC	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	MWR 2941-DC-A	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	MWR1941DC	ROUTER	DDBASE.DEVICE
CISCO	NXOS	N9K-C9336C-FX2	SWITCH	NEXUS_SWITCH
CISCO	NXOS	N9K-C9348GC-FXP	SWITCH	NEXUS_SWITCH
CISCO	CISCONAC	NAC SNS 3515	FIREWALL	DDBASE.DEVICE
CISCO	CISCONAC	NAC SNS 3595	FIREWALL	DDBASE.DEVICE
CISCO	Cisco IOS	OS-CIGESM-18TT-EBU	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	OSR7603	SWITCH	DDBASE.DEVICE
CISCO	Cisco CATOS	OSR7606	SWITCH	DDBASE.DEVICE
CISCO	Cisco PIX/ASA	PIX Family Device	Firewall/VPN Appliance	ASA
CISCO	Cisco IOS	Pro4500	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	Pro4700	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	RSM	SWITCH	DDBASE.DEVICE
CISCO	Cisco LAN Switches Small Business	SF 200-24	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 200-24FP	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 200-24P	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 200-48	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 200-48P	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 300-08	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 300-10	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 300-10MP	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 300-10P	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 300-20	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 300-24	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 300-24P	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 300-28	ETHERNET SWITCH	Cisco3XX



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	Cisco LAN Switches Small Business	SF 300-28P	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 300-48	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 300-48P	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 300-52	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 302-08	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 302-08MP	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 302-08P	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 500-24	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 500-24P	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 500-48	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SF 500-48P	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SG 500-28	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SG 500-28P	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SG 500-52	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SG 500-52P	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SG 500X-24	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SG 500X-24P	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SG 500X-48	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco LAN Switches Small Business	SG 500X-48P	ETHERNET SWITCH	Cisco3XX
CISCO	Cisco IOS	SM-ES3G-16P	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	SSL Module	BLADE SERVER	DDBASE.DEVICE
CISCO	Cisco IOS	Sup720 Module	BLADE SERVER	DDBASE.DEVICE
CISCO	Cisco IOS	UBR 7111	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	UBR 7111E	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	UBR 7114	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	UBR 7114E	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	UBR 7223	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	UBR 7246	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	UBR 7246VXR	ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C2960-24PC-S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C2960-48PST-L	SWITCH	DDBASE.DEVICE

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
CISCO	Cisco IOS	WS-C2960C-8PC-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C2960G-48TC-L	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C2960XR-24PD-I	SWITCH/ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C2960XR-24PS-I	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C2960XR-24TD-I	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C2960XR-24TS-I	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C2960XR-48FPD-I	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C2960XR-48FPS-I	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C2960XR-48LPD-I	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C2960XR-48LPS-I	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C2960XR-48TD-I	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C2960XR-48TS-I	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C3560CX-12PC-S	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C3560V2-24PS	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C3560V2-24TS	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C3560V2-24TS-SD	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C3560V2-48PS	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C3560V2-48TS	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C4503-E	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C4506-E	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C4507R-E	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C4510R-E	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C4900M	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C4948E-10GE	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C6504-E	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C6509-NEB-A	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C6509-VE	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	WS-C6509-VE(CatOS)	SWITCH / ROUTER	DDBASE.DEVICE
CISCO	Cisco IOS	WS-CBS-3020-HPQ	SWITCH	DDBASE.DEVICE
CISCO	Cisco IOS	WS-X6302-MSM	SWITCH	DDBASE.DEVICE
CUMULUS	CUMULUS	CUMULUS NETWORKS	SWITCH	DDCUMULUS
DATADOMAIN	Data Domain	EMC DATADOMAIN - 9500	SVR	DDBASE.DEVICE
DELL EMC	avamar	Dell EMC AVAMAR	SERVER	DDBASE.DEVICE
DELL EMC	DataDomain	Dell EMC DATADOMAIN - 9500	SERVER	DDBASE.DEVICE
DELL EMC	Redfish Instance	Dell EMC iDrac	SERVER	SLM-ComputerSystem
DELL EMC	Isilon	DELL EMC ISILON - NL 410	SERVER	DDBASE.DEVICE
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking C7004/C150	SWITCH	C-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking C7008/C300	SWITCH	C-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking C9010	SWITCH	C9010
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking E1200	SWITCH	E-Series



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking E1200i	SWITCH	E-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking E300	SWITCH	E-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking E600	SWITCH	E-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking E600i	SWITCH	E-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking MXL10	CONVERGED ETHERNET SWITCH	S5000
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N1108P-ON	SWITCH	PowerConnectN11XX
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N1108T-ON	SWITCH	PowerConnectN11XX
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N1124P-ON	SWITCH	PowerConnectN11XX
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N1124T-ON	SWITCH	PowerConnectN11XX
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N1148P-ON	SWITCH	PowerConnectN11XX
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N1148T-ON	SWITCH	PowerConnectN11XX
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N1524	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N1524P	SWITCH	PoESwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N1548	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N1548P	SWITCH	PoESwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N2024	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N2024P	SWITCH	PoESwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N2048	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N2048P	SWITCH	PoESwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N2128PX-ON	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N3024	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N3024EF-ON	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N3024EP-ON	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N3024ET-ON	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N3024F	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N3024P	SWITCH	PoESwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N3048	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N3048-EP	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N3048ET-ON	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N3048P	SWITCH	PoESwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N3132PX	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N4032	SWITCH	PowerConnect8164
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N4032F	SWITCH	PowerConnect8164
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N4064	SWITCH	PowerConnect8164
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking N4064F	SWITCH	PowerConnect8164
DELL EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S3048-ON	SWITCH	DDBASE.DEVICE
DELL EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S4048-ON	SWITCH	DDBASE.DEVICE
DELL EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S4048T-ON	SWITCH	DDBASE.DEVICE



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
DELL EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S4112F-ON	SWITCH	DDBASE.DEVICE
DELL EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S4112T-ON	SWITCH	DDBASE.DEVICE
DELL EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S4128F-ON	SWITCH	DDBASE.DEVICE
DELL EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S4128T-ON	SWITCH	DDBASE.DEVICE
DELL EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S4148F-ON	SWITCH	DDBASE.DEVICE
DELL EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S4148FE-ON	SWITCH	DDBASE.DEVICE
DELL EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S4148T-ON	SWITCH	DDBASE.DEVICE
DELL EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S4148U-ON	SWITCH	DDBASE.DEVICE
DELL EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S4248FB-ON	SWITCH	DDBASE.DEVICE
DELL EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S4248FBL-ON	SWITCH	DDBASE.DEVICE
DELL EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S5148F-ON	SWITCH	DDBASE.DEVICE
DELL EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S6010-ON	SWITCH	DDBASE.DEVICE
DELL EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE Z9100-ON	SWITCH	DDBASE.DEVICE
DELL EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE Z9264F-ON	SWITCH	DDBASE.DEVICE
DELL EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 Family Device	SWITCH	DDBASE.DEVICE
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S2410CP	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S2410P	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S25N	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S25P-AC	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S25P-DC	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S25V	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S3048-ON	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S3124	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S3124F	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S3124P	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S3148	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S3148P	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S4048-ON	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S4048T-ON	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S4810	SWITCH	S4810
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S4820T	SWITCH	S4810
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S50	SWITCH	S-Series



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S5000	CONVERGED ETHERNET SWITCH	S5000
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S5048F-ON	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S50E	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S50N	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S50N-AC	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S50V	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S55	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S60	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S6000	SWITCH	S4810
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S6000-ON	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S6010	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking S6100	SWITCH	S-Series
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking X1008	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking X1008P	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking X1018	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking X1018P	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking X1026	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking X1026P	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking X1052	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking X1052P	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (PCT)	Dell EMC Networking X4012	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking Z9000	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking Z9100-ON	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC Networking Z9500	SWITCH	S-Series
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC PowerEdge FN IOA	SWITCH	S5000
DELL EMC	Dell EMC Networking (FTOS)	Dell EMC PowerEdge M I/O Aggregator	CONVERGED ETHERNET SWITCH	S5000
DELL EMC	Dell EMC Networking (PCT)	Dell EMC PowerEdge VRTX 10Gb	SWITCH	PowerConnect5524
DELL EMC	Dell EMC Networking (PCT)	Dell EMC PowerEdge VRTX 1Gb IOM	SWITCH	PowerConnect5524
DELL EMC	EMC Unisphere Systems	Dell EMC Unity 300	FILE STORAGE SERVER	DDBASE.DEVICE
DELL EMC	EMC Unisphere Systems	Dell EMC Unity 300F	FILE STORAGE SERVER	DDBASE.DEVICE
DELL EMC	EMC Unisphere Systems	Dell EMC Unity 400	FILE STORAGE SERVER	DDBASE.DEVICE
DELL EMC	EMC Unisphere Systems	Dell EMC Unity 400F	FILE STORAGE SERVER	DDBASE.DEVICE
DELL EMC	EMC Unisphere Systems	Dell EMC Unity 450F	FILE STORAGE SERVER	DDBASE.DEVICE
DELL EMC	EMC Unisphere Systems	Dell EMC Unity 500	FILE STORAGE SERVER	DDBASE.DEVICE
DELL EMC	EMC Unisphere Systems	Dell EMC Unity 500F	FILE STORAGE SERVER	DDBASE.DEVICE
DELL EMC	EMC Unisphere Systems	Dell EMC Unity 600	FILE STORAGE SERVER	DDBASE.DEVICE
DELL EMC	EMC Unisphere Systems	Dell EMC Unity 600F	FILE STORAGE SERVER	DDBASE.DEVICE
DELL EMC	EMC Unisphere Systems	Dell EMC Unity 650F	FILE STORAGE SERVER	DDBASE.DEVICE
DELL EMC	EMC Unisphere Systems	Dell EMC Unity VSA (Virtual Storage Appliance)	FILE STORAGE SERVER	DDBASE.DEVICE



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
DELL EMC	Dell EMC Flare VNX	Dell EMC VNX8000 - Flare	SVR STORAGE	StorageArray
DELL EMC	vplex	Dell EMC VPLEX	SVR STORAGE	StorageArray
DELL EMC	Dell EMC Networking (PCT)	Dell PowerConnect Family Device	SWITCH	NetworkingSwitch
DELL EMC	Dell EMC Networking iDRAC Device Driver	Generic iDRAC Device	SERVER	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME	SERVER	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-Client	WORKSTATION	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-CMC	CHASSIS MGMT CONTROLLER	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-Compellent	CHASSIS MGMT CONTROLLER	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-Desktop	WORKSTATION	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-EMC	CHASSIS MGMT CONTROLLER	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-EqualLogic	CHASSIS MGMT CONTROLLER	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-FCSwitch	HYPERVISOR	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-Force10	SWITCH	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-Hypervisor	HYPERVISOR	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-Laptop	LAPTOP	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-MDStorage	CHASSIS MGMT CONTROLLER	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-NASAppliance	CHASSIS MGMT CONTROLLER	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-NetPC	WORKSTATION	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-PDU	PDU	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-PowerCServer	SERVER	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-Printer	PRINTER	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-Server	SERVER	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-Switch	SWITCH	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-Tape	OTHER	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-UPS	UPS POWER	SLM-ComputerSystem
DELL EMC	OpenManage Essentials**	OME-Workstation	WORKSTATION	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Blade 610x	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Blade M610	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Blade M710	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Blade M710HD	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Blade M910	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Blade M915	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Rack R210	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Rack R210 II	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Rack R310	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Rack R410	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Rack R415	SERVER	SLM-ComputerSystem



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
Dell EMC	Windows/Linux	PowerConnect 11G Rack R510	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Rack R610	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Rack R710	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Rack R715	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Rack R810	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Rack R815	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Rack R910	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Tower T110	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Tower T110 II	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Tower T310	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Tower T410	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Tower T610	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 11G Tower T710	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 12G PE-C C5220	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 12G PE-C C6105	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 12G PE-C C6145	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 12G PE-C C6220	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerConnect 12G PE-C C8220X	SERVER	SLM-ComputerSystem
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 3424	SWITCH	PowerConnect34XXStackable
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 3424P	SWITCH	PowerConnect34XXPStackable
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 3448	SWITCH	PowerConnect34XXStackable
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 3448P	SWITCH	PowerConnect34XXPStackable
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 3524	SWITCH	PowerConnect35XXStackable
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 3524P	SWITCH	PowerConnect35XXPStackable
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 3548	SWITCH	PowerConnect35XXStackable
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 3548P	SWITCH	PowerConnect35XXPStackable
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 5012	SWITCH	PowerConnect5012
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 5212	SWITCH	PowerConnect5212
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 5224	SWITCH	PowerConnect5224
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 5316	SWITCH	PowerConnect5316
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 5324	SWITCH	PowerConnect5324
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 5424	SWITCH	PowerConnect5424
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 5448	SWITCH	PowerConnect5448
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 5524	SWITCH	PowerConnect5524
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 5524P	SWITCH	PoESwitch
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 5548	SWITCH	PowerConnect5524





# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 5548P	SWITCH	PoESwitch
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 6224	SWITCH	PowerConnect62XXStackable
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 6224F	SWITCH	PowerConnect62XXStackable
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 6224P	SWITCH	PowerConnect62XXStackable
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 6248	SWITCH	PowerConnect62XXStackable
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 6248P	SWITCH	PowerConnect62XXStackable
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 7024	SWITCH	PowerConnect7024
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 7024F	SWITCH	PowerConnect7024F
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 7024P	SWITCH	PowerConnect7024P
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 7048	SWITCH	PowerConnect7048
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 7048P	SWITCH	PowerConnect7048P
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 7048R	SWITCH	PowerConnect7048R
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 7048RA	SWITCH	PowerConnect7048RA
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 8024	SWITCH	PowerConnect8024
DELL EMC	Dell EMC Networking (PCT)	PowerConnect 8024F	SWITCH	PowerConnect8024
DELL EMC	Dell EMC Networking (PCT)	PowerConnect M6220	SWITCH	PowerConnect62XXStackable
DELL EMC	Dell EMC Networking (PCT)	PowerConnect M6348	SWITCH	PowerConnectM6348
DELL EMC	Dell EMC Networking (PCT)	PowerConnect M8024	SWITCH	PowerConnectM8024
DELL EMC	Dell EMC Networking (PCT)	PowerConnect M8024-k	SWITCH	PowerConnectM8024-k
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Amigopod	PowerConnect W-ClearPass GuestConnect	SERVER	DDBASE.DEVICE
DELL EMC	Dell EMC Networking (PCT)	PowerConnect3024	SWITCH	PowerConnect3024



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
DELL EMC	Dell EMC Networking (PCT)	PowerConnect3048	SWITCH	PowerConnect3048
DELL EMC	Dell EMC Networking (PCT)	PowerConnect3248	SWITCH	PowerConnect3248
DELL EMC	Dell EMC Networking (PCT)	PowerConnect3324Stackable	SWITCH	PowerConnect33XXStackable
DELL EMC	Dell EMC Networking (PCT)	PowerConnect3348Stackable	SWITCH	PowerConnect33XXStackable
Dell EMC	Windows/Linux	PowerEdge 12G Blade M420	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 12G Blade M520	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 12G Blade M620	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 12G Blade M820	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 12G Rack R220	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 12G Rack R320	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 12G Rack R420	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 12G Rack R520	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 12G Rack R620	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 12G Rack R720	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 12G Rack R720XD	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 12G Rack R920	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 12G RackR820	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 12G Tower T20	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 12G Tower T320	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 12G Tower T420	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 12G Tower T620	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Blade FC430	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Blade FC630	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Blade FC830	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Blade FM120x4	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Blade M630	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Blade M630	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Blade M830	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Blade M830	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G PE-C C4130	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G PE-C C6320	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G PE-C C6320p	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Rack R230	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Rack R330	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Rack R430	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Rack R530	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Rack R530xd	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Rack R630	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Rack R730	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Rack R730xd	SERVER	SLM-ComputerSystem



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
Dell EMC	Windows/Linux	PowerEdge 13G Rack R830	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Rack R930	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Tower T130	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Tower T30	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Tower T330	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Tower T430	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 13G Tower T630	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 14G Blade FC640	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 14G Blade M640	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 14G Blade M640	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 14G PE-C C4140	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 14G PE-C C6420	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 14G Tower T440	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge 14G Tower T640	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge14G Rack AMD R6415	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge14G Rack AMD R7415	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge14G Rack AMD R7425	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge14G Rack Server Tower R440	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge14G Rack Server Tower R540	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge14G Rack Server Tower R640	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge14G Rack Server Tower R740	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge14G Rack Server Tower R740xd	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge14G Rack Server Tower R842	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge14G Rack Server Tower R940	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge14G Rack Server Tower R940xa	SERVER	SLM-ComputerSystem
Dell EMC	Windows/Linux	PowerEdge14G Rack Server Tower XR2	SERVER	SLM-ComputerSystem
DELL EMC	Dell Flare VNX	VNX8000 - Flare	SERVER	STORAGE-StorageArray
DELL EMC XC	AOS	DELL EMC XC	HCI CLUSTER	NUTANIX CLUSTER
Dell EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE MX5108N-ON	SWITCH	DDBASE.DEVICE
Dell EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE MX9116N-ON	SWITCH	DDBASE.DEVICE
Dell EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S4200-ON	SWITCH	DDBASE.DEVICE
Dell EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S5232F-ON	SWITCH	DDBASE.DEVICE
Dell EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S5248F-ON	SWITCH	DDBASE.DEVICE
Dell EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S5296F-ON	SWITCH	DDBASE.DEVICE
Dell EMC	Dell EMC Networking OS10 EE	Dell EMC Networking OS10 EE S6000-ON	SWITCH	DDBASE.DEVICE
Dell EMC	Dell EMC Networking (PCT)	3024	SWITCH	PowerConnect3024
Dell EMC	Dell EMC Networking (PCT)	3248	SWITCH	PowerConnect3248



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
Dell EMC	Dell EMC Networking (PCT)	3324	SWITCH	PowerConnect33XXStackable
Dell EMC	Dell EMC Networking (PCT)	3348	SWITCH	PowerConnect33XXStackable
Dell EMC	Dell EMC Networking (PCT)	Dell EMC Networking N3048EP-ON	SWITCH	NetworkingSwitch
EDGECORE NETWORKS	Edge Core	ECS4210-12T	SWITCH	DDBASE.DEVICE
EDGECORE NETWORKS	Edge Core	ES3510MA	SWITCH	DDBASE.DEVICE
DELL EMC	EMC Unisphere Systems	EMC Unity	FileStorageServer	DDBASE.DEVICE
ENTERASYS	EOS	1G582-09	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	1G587-09	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	1G694-13	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	1H582-25	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	1H582-51	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	5-SSRM-02	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6E308-24	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6E308-24 module	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6E308-48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6E308-48 module	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6G302-06	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6G302-06 module	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6G306-06	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6G306-06 module	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6H002-48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6H002-48 module	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6H003-48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6H003-48 module	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6H202-48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6H202-48 module	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6H302-48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6H302-48 module	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6H303-48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6H303-48 module	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6H308-24	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6H308-24 module	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6H308-48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6H308-48 module	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6H352-25	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	6H352-25 module	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	A2H124-24	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	A2H124-24FX	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	A2H124-24P	SWITCH	ENTERASYS_SWITCH



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
ENTERASYS	EOS	A2H124-48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	A2H124-48P	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	A2H254-16	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	A4H124-48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	A4H124x48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	B2G124-24	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	B2G124-48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	B2G124-48P	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	B2H124-48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	B2H124-48P	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	B3G124-24	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	B3G124-24P	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	B3G124-48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	B3G124-48P	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	B5G124-24	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	B5G124-24P2	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	B5G124-48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	B5G124-48P2	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	B5K125-24	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	B5K125-48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	B5K125-48P2	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C1 48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C1G124	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C2 System Management	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C2G124-24	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C2G124-48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C2G124-48P	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C2G134-24P	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C2G170-24	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C2H124-48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C2H124-48P	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C2K122-24	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C3G124-24	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C3G124-24P	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C3G124-48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C3G124-48P	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C3K122-24	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C3K122-24P	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C3K172-24	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C5 System Management	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C5G124-24	SWITCH	ENTERASYS_SWITCH



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
ENTERASYS	EOS	C5G124-24P2	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C5G124-48	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C5G124-48P2	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C5K125-24	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C5K125-24P2	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C5K125-48P2	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	C5K175-24	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	D2G124-12	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	D2G124-12P	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	E5 5G102-6	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	E5 5G106-6	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	E5 5H152-50	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	E5 5H153-50	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	E7 Chassis	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	ELS100-24TXM	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	Enterasys Family Device	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	G3G124-24	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	G3G170-24	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	Matrix E7	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	Matrix N Router	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	Matrix N Standalone (2G4072x52)	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	Matrix N1	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	Matrix N3	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	Matrix N5	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	Matrix N7	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	Matrix X8	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	S4	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	SSA-G1018-0652	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	SSA-T1068-0652	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	SSA-T4068-0252	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	V2H124-24	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	VH-2202GT	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	VH-2402-L3	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	VH-2402S	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	VH-4802	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	VH-8G	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	VH-8G-L3	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	VH-8GO2S	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	VH-8TX1UM	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	VH-8TX1UMF	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	VHxSMGMTxL3 L2/L3 management card	SWITCH	ENTERASYS_SWITCH



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
ENTERASYS	EOS	X-Pedition 2400	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	X-Pedition ER16	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	XSR-1805	SWITCH	ENTERASYS_SWITCH
ENTERASYS	EOS	XSR-1850	SWITCH	ENTERASYS_SWITCH
EXTREME	N/A	Alpine 3802	SWITCH	ExtremeSwitch
EXTREME	N/A	Alpine 3804	SWITCH	ExtremeSwitch
EXTREME	N/A	Alpine 3808	SWITCH	ExtremeSwitch
EXTREME	N/A	Black Diamond 10808	SWITCH	ExtremeSwitch
EXTREME	N/A	Black Diamond 12804	SWITCH	ExtremeSwitch
EXTREME	N/A	Black Diamond 6800	SWITCH	ExtremeSwitch
EXTREME	N/A	Black Diamond 6804	SWITCH	ExtremeSwitch
EXTREME	N/A	Black Diamond 6808	SWITCH	ExtremeSwitch
EXTREME	N/A	Black Diamond 6816	SWITCH	ExtremeSwitch
EXTREME	N/A	Black Diamond 8800	SWITCH	ExtremeSwitch
EXTREME	N/A	Black Diamond 8810	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 1	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 1iSX	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 1iTX	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 2	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 200-24	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 200-24fx	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 200-48	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 24	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 24e2SX	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 24e2TX	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 24e3	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 3	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 300-24	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 300-48	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 4	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 400-24p	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 400-24ta	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 400-24tb	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 400-24x	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 400-48t	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 450a-24t	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 48	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 48i	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 48si	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 4fx	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 5i	SWITCH	ExtremeSwitch



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
EXTREME	N/A	Summit 5iLX	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 5iTX	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 7iSX	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit 7iTX	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit Px1	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit WM 100	SWITCH	ExtremeSwitch
EXTREME	N/A	Summit WM 1000	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 150-24t	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 150-48t	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 240-24t	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 250e-48t	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 3250-24p	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 350-48t	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 440-24X	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 440-48p	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 440-48p-10G	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 440-48t	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 440G2-48p-10G4	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 450-24t	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 450-24x	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 450/250 Stack	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 450a-24t	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 450a-24tDC	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 450a-24x	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 450a-24xDC	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 450a-48t	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 450e-24p	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 450e-48p	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 460-24x	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 460-48p	SWITCH	ExtremeSwitch
EXTREME	N/A	SummitX 670V-48x	SWITCH	ExtremeSwitch
F5	TMOS	BIG IP Virtual Edition	FIREWALL VPN APPLIANCE	BIG-IPProductFamily
F5	TMOS	BIG-IP 10200v	FIREWALL VPN APPLIANCE	BIG-IPProductFamily
F5	TMOS	BIG-IP 1600	FIREWALL VPN APPLIANCE	BIG-IPProductFamily
F5	TMOS	BIG-IP 2000s GTM	LOAD BALANCER	BIG-IPProductFamily
F5	TMOS	BIG-IP 2200S	FIREWALL VPN APPLIANCE	BIG-IPProductFamily
F5	TMOS	BIG-IP 2400	FIREWALL VPN APPLIANCE	BIG-IPProductFamily





# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
F5	TMOS	BIG-IP 3410	FIREWALL VPN APPLIANCE	BIG-IPProductFamily
F5	TMOS	BIG-IP 3900	FIREWALL VPN APPLIANCE	BIG-IPProductFamily
F5	TMOS	BIG-IP 4000	FIREWALL VPN APPLIANCE	BIG-IPProductFamily
F5	TMOS	BIG-IP 4100	FIREWALL VPN APPLIANCE	BIG-IPProductFamily
F5	TMOS	BIG-IP 5110	FIREWALL VPN APPLIANCE	BIG-IPProductFamily
F5	TMOS	BIG-IP 5110	FIREWALL VPN APPLIANCE	BIG-IPProductFamily
F5	TMOS	BIG-IP 6900F	FIREWALL VPN APPLIANCE	BIG-IPProductFamily
F5	TMOS	BIG-IP 8800	FIREWALL VPN APPLIANCE	BIG-IPProductFamily
F5	TMOS	BIG-IP 8900	FIREWALL VPN APPLIANCE	BIG-IPProductFamily
F5	TMOS	BIG-IP 8950	FIREWALL VPN APPLIANCE	BIG-IPProductFamily
F5	TMOS	BIG-IP 8950S	FIREWALL VPN APPLIANCE	BIG-IPProductFamily
F5	TMOS	BIG-IP Application Delivery Controller	APPLICATION ACCELERATOR	BIG-IPProductFamily
F5	TMOS	BIG-IP i5800	LOAD BALANCER	BIG-IPProductFamily
F5	TMOS	BIG-IP Local Traffic Manager 520	LOAD BALANCER	BIG-IPProductFamily
F5	TMOS	BIG-IP Local Traffic Manager 540	LOAD BALANCER	BIG-IPProductFamily
F5	TMOS	BIG-IP Pb100	APPLICATION ACCELERATOR	BIG-IPProductFamily
F5	TMOS	BIG-IP Pb100n	APPLICATION ACCELERATOR	BIG-IPProductFamily
F5	TMOS	BIG-IP Pb200	APPLICATION ACCELERATOR	BIG-IPProductFamily
F5	TMOS	BIG-IP-4200V	FIREWALL VPN APPLIANCE	BIG-IPProductFamily
FORCE10	Dell EMC Networking (FTOS)	Dell EMC Networking S4810-ON	SWITCH	S4810
FORCE10	Dell EMC Networking (FTOS)	Dell EMC Networking S6100-ON	SWITCH	S-Series
Force10	Dell EMC Networking FTOS Family Device	S-Series	SWITCH	OS9Family
FORTINET	Fortinet OS	FAZ-1000D	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FG-20CA	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-100	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-1000	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-1000A	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-1000AFA2	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-1000ALENC	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-1000C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-100A	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-100D	FIREWALL	FortiAnalyzer



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
FORTINET	Fortinet OS	FGT-110C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-111C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-1240B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-140D	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-140P	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-140T	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-1500D	FIREWALL	FortiManager_Sandbox
FORTINET	Fortinet OS	FGT-200	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-200A	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-200B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-200BPOE	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-200D	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-20C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-224B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-240D	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-300	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-3000	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-300A	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-300C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-300D	FIREWALL	FortiManager_Sandbox
FORTINET	Fortinet OS	FGT-300D	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-3016B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-3040B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-30B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-310B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-311B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-3140B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-3240C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-3600	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-3600A	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-3600C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-3810A	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-3950B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-3951B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-400	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-400A	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-40C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-500	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-5001	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-5001A	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-5001B	FIREWALL	FortiAnalyzer

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
FORTINET	Fortinet OS	FGT-5001C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-5001FA2	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-5002FB2	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-5005FA2	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-500A	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-50A	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-50B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-5101C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-51B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-60	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-600C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-600D	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-60ADSL	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-60B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-60C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-60CP	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-60D	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-60M	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-620B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-621B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-800	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-800C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-800F	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-80C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-80CM	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-82C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-90D	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-90DPOE	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-ONE	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-VM	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-VM64	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-VM64XEN	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FGT-1500D	FIREWALL	FortiManager_Sandbox
FORTINET	Fortinet OS	FGT-300D	FIREWALL	FortiManager_Sandbox
FORTINET	Fortinet OS	FMG-200D	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FR-100C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FSA-3000D	FIREWALL	FortiManager_Sandbox
FORTINET	Fortinet OS	FSW-5203B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FW-20CA	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FW-60CA	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FW-60CM	FIREWALL	FortiAnalyzer



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
FORTINET	Fortinet OS	FW-6XMB	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FWF-20C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FWF-30B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FWF-40C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FWF-50B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FWF-60	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FWF-60A	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FWF-60AM	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FWF-60B	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FWF-60C	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FWF-60D	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FWF-80CM	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FWF-81CM	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FWF-90D	FIREWALL	FortiAnalyzer
FORTINET	Fortinet OS	FWF-90DPOE	FIREWALL	FortiAnalyzer
HPE	HP ProCurve	A6713A Network Blade	SWITCH	HP_PROCURVE
HPE	HP ProCurve	A6716A Network Blade	SWITCH	HP_PROCURVE
HPE	HP ProCurve	A6717A Network Blade	SWITCH	HP_PROCURVE
HPE	HP ProCurve	HP J3177A AdvanceStack Switch 224T	SWITCH	HP_PROCURVE
HPE	HP ProCurve	HP J3177A AdvanceStack Switch 224VG	SWITCH	HP_PROCURVE
HPE	HP ProCurve	HP J3299A Switch 224M	SWITCH	HP_PROCURVE
HPE	HP ProCurve	HP J4110A Switch 8000M	SWITCH	HP_PROCURVE
HPE	Redfish Instance	HPE ILO	SERVER	SLM-ComputerSystem
HPE	HP ProCurve	J3100A AdvanceStack Switch 2000	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J3100A AdvanceStack Switch 2000B	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J3175A AdvanceStack Switch 208T	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J3175A AdvanceStack Switch 208VG	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J3175A Switch 200 8/24	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J3245A AdvanceStack Switch 800T	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J3298A Switch 212M	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4120A Switch 1600M	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4121A Switch 4000M	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4122A Switch 2400M	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4122B Switch 2424M	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4138A Routing Switch 9308M	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4139A Routing Switch 9304M	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4812A Switch 2512	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4813A Switch 2524	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4819A Switch 3124	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4819A Switch 3324XL	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4819A Switch 5308XL	SWITCH	HP_PROCURVE



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
HPE	HP ProCurve	J4840A Routing Switch 6308M	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4841A Switch 6208M	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4860A Switch 5304XL	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4865A Switch 4108GL	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4874A Routing Switch 6410CL	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4887A Switch 4104GL	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4899A Switch 2650	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4899B Switch 2650-CR	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4899C Switch 2650	SWITCH	DDBASE.DEVICE
HPE	HP ProCurve	J4900A Switch 2626	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4900B Switch 2626-CR	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4900C Switch 2626C	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4902A Switch 6108	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4903A Switch 2824	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4904A Switch 2848	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4905A Switch 3400cl-24G	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J4906A Switch 3400cl-48G	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8130A Wireless Access Point AP420WL	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8133A Wireless Access Point AP520WL	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8153A Access Controller 720WL	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8154A Access Controller Server 740WL	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8155A Integrated Access Manager 760WL	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8164A Switch 2626-PWR	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8165A Switch 2650-PWR	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8433A Switch 6400cl-6XG	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8474A Switch 6410cl-6XG	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8680A Router 9608sl	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8692A Switch 3500yl-24G-PWR	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8693A Switch 3500yl-48G-PWR	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8697A Switch 5406zl	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8698A Switch 5412zl	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8718A Switch 5404yl	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8719A Switch 5408yl	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8752A Router 7102dl	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8753A Router 7203dl	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8762A Switch 2600-8-PWR	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8770A Switch 4204vl	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8771A Switch 4202vl-48G	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8772A Switch 4202vl-72	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8773A Switch 4208vl	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J8992A Switch 6200yl-24G	SWITCH	HP_PROCURVE



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
HPE	HP ProCurve	J9019A Switch 2510-24A	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9019B Switch 2510-24	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9020A Switch 2510-48A	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9021A Switch 2810-24G	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9022A Switch 2810-48G	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9028A Switch 1800-24G	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9028B ProCurve 1800-24G-B	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9029A Switch 1800-8G	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9031A Switch 4202vl-68	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9032A Switch 4202vl-68G	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9038A Switch	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9049A Switch 2900-24G	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9050A Switch 2900-48G	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9079A ProCurve 1700-8	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9080A ProCurve 1700-24	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9085A Switch 2610-24	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9086A Switch 2610-24/12-PWR	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9087A 2610-24-PoE	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9088A Switch 2610-48	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9089A Switch 2610-48-PWR	SWITCH	DDBASE.DEVICE
HPE	HP ProCurve	J9091A Switch 8212zl	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9137A ProCurve 2520-8-PoE	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9138A Switch 2520G-8-PoE	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9145A Switch 2910al-24G	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9146A ProCurve 2910al-24G-PoE	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9263A ProCurve 6600ml-24G	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9264A ProCurve 6600ml-24G-4XG	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9265A ProCurve 6600ml-24XG	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9279A Switch 2510G-24	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9280A Switch 2510G-48	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9298A ProCurve 2520G-8-PoE	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9299A Switch 2520G-24-POE	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9310A Switch 3500yl-24G-PoE	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9311A Switch 3500yl-48G-PoE	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9449A ProCurve 1810G-8	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9450A ProCurve 1810G-24	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9451A ProCurve 6600-48G	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9470A Switch 3500-24	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9471A Switch 3500-24-PoE	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9472A ProCurve 3500-48	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9473A ProCurve 3500-48-PoE	SWITCH	HP_PROCURVE



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
HPE	HP ProCurve	J9477A Switch 8206zl	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9565A ProCurve 2615-8-PoE	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9574A 3800 48G-PoE+-4SFP+	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9575A E3800-24G-2SFP	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9576A E3800-48G-4SFP	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9584A 3800-24SFP-2SFP+	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9623A Switch E2620-24	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9624A Switch 2620-24-PPoEP	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9625A Switch 2620-24-PoEP	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9626A Switch 2620-48	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9627A Switch 2620-48-PoEP	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9726A 2920-24G	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9727A 2920-24G-PoE+	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9727A Switch 2520G-24-PoE	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9728A 2920-48G	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9729A Switch 2920-48-PoE	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9772A Switch 2530-48G-PoEP	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9773A Switch 2530-24G-PoEP	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9774A Switch 2530G-24-PoE	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9775A Switch 2530G-48G	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9776A Switch 2530G-24G	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9777A 2530-8G	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9778A Switch 2530-48-PoEP	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9779A 2530-24-PoEP	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9780A 2530-8-PoEP	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9781A Switch 2530-48	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9782A Switch 2530-24	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9803A 1810-24G v2	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9850A Switch 5406Rzl2	SWITCH	HP_PROCURVE
HPE	HP ProCurve	J9851A 5412R zl2	SWITCH	HP_PROCURVE
HPE	HP ProCurve	JL076A Aruba 3810M-40G-8SR	SWITCH	HP_PROCURVE
HPE	HP ProCurve	JL261A 2930F-24G-PoE+-4SFP	SWITCH	HP_PROCURVE
HPE	HP ProCurve	JL322A Aruba 2930M-48G-PoE+	SWITCH	HP_PROCURVE
HPE	HP ProCurve	JL322A Aruba 2930M-48G-PoE+	SWITCH	HP_PROCURVE
HPE	HP ProCurve	JL385A 1920S 24G 2SFP PoE+	SWITCH	HP_PROCURVE
HPE	HP ProCurve	Proliant Series Switches	SWITCH	HP_PROCURVE
IMPERVA	Imperva Device Driver	Imperva	SWITCH	DDBASE.DEVICE
INFOBLOX	N/A	ibVnios	FIREWALL	DDBASE.DEVICE
INFOBLOX	N/A	pt1405	FIREWALL	DDBASE.DEVICE
IP INFUSION	OcNOS	IP Infusion	SWITCH	DDBASE.DEVICE
IP INFUSION	VirNOS	IP Infusion	SWITCH	DDBASE.DEVICE

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
IP INFUSION	ZebNOS	IP Infusion	SERVER	DDBASE.DEVICE
JUNIPER NETWORKS	JUNOS	EX XRE Ethernet Switch	SWITCH / ROUTER	JuniperSwitch
JUNIPER NETWORKS	JUNOS	EX2200 Ethernet Switch	SWITCH / ROUTER	JuniperSwitch
JUNIPER NETWORKS	JUNOS	EX3200 Ethernet Switch	SWITCH / ROUTER	JuniperSwitch
JUNIPER NETWORKS	JUNOS	EX3300 Ethernet Switch	SWITCH / ROUTER	JuniperSwitch
JUNIPER NETWORKS	JUNOS	EX4200 Ethernet Switch	SWITCH / ROUTER	JuniperSwitch
JUNIPER NETWORKS	JUNOS	EX4500 Ethernet Switch	SWITCH / ROUTER	JuniperSwitch
JUNIPER NETWORKS	JUNOS	EX4550 Ethernet Switch	SWITCH / ROUTER	JuniperSwitch
JUNIPER NETWORKS	JUNOS	EX4600 Ethernet Switch	SWITCH / ROUTER	JuniperSwitch
JUNIPER NETWORKS	JUNOS	EX6210 Ethernet Switch	SWITCH / ROUTER	JuniperSwitch
JUNIPER NETWORKS	JUNOS	EX8208 Ethernet Switch	SWITCH / ROUTER	JuniperSwitch
JUNIPER NETWORKS	JUNOS	EX8216 Ethernet Switch	SWITCH / ROUTER	JuniperSwitch
JUNIPER NETWORKS	JUNOS	FireFly_SRX	FIREWALL	JuniperServiceGateway
JUNIPER NETWORKS	JUNOS	IP/MPLS Router Module	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	J2300 Edge Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	J2320 Edge Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	J2350 Edge Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	J4300 Edge Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	J4320 Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	J4350 Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	J6300 Edge Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	J6350 Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	Juniper Family Device	SWITCH / ROUTER	JuniperFamily
JUNIPER NETWORKS	JUNOS	LN 1000 Mobile Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	M10 Core/Edge Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	M10i Edge Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	M120 Router	ROUTER	JuniperRouter



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
JUNIPER NETWORKS	JUNOS	M160 Core Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	M20 Core/Edge Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	M320 Core Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	M40 Core Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	M40e Core/Edge Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	M5 Core/Edge Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	M7i Edge Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	MX10003	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	MX240 Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	MX480 Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	MX80 Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	MX960 Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	QFX10008	SWITCH / ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	QFX3500	SWITCH / ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	QFX5100	SWITCH / ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	SRX 100 Service Gateway	SWITCH / ROUTER	JuniperServiceGateway
JUNIPER NETWORKS	JUNOS	SRX 1400 Service Gateway	SWITCH / ROUTER	JuniperServiceGateway
JUNIPER NETWORKS	JUNOS	SRX 210 Service Gateway	SWITCH / ROUTER	JuniperServiceGateway
JUNIPER NETWORKS	JUNOS	SRX 220 Service Gateway	SWITCH / ROUTER	JuniperServiceGateway
JUNIPER NETWORKS	JUNOS	SRX 240 Service Gateway	SWITCH / ROUTER	JuniperServiceGateway
JUNIPER NETWORKS	JUNOS	SRX 3400 Service Gateway	SWITCH / ROUTER	JuniperServiceGateway
JUNIPER NETWORKS	JUNOS	SRX 3600 Service Gateway	SWITCH / ROUTER	JuniperServiceGateway
JUNIPER NETWORKS	JUNOS	SRX 550M Service Gateway	SWITCH / ROUTER	JuniperServiceGateway
JUNIPER NETWORKS	JUNOS	SRX 5600 Service Gateway	SWITCH / ROUTER	JuniperServiceGateway
JUNIPER NETWORKS	JUNOS	SRX 5800 Service Gateway	SWITCH / ROUTER	JuniperServiceGateway
JUNIPER NETWORKS	JUNOS	SRX 650 Service Gateway	SWITCH / ROUTER	JuniperServiceGateway

# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
JUNIPER NETWORKS	JUNOS	T1600 Core Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	T320 Core Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	T640 Core Router	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	Tx Matrix	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	Tx MatrixPlus	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	VMX	ROUTER	JuniperRouter
JUNIPER NETWORKS	JUNOS	vSRX Integrated Virtual Firewall	FIREWALL	JuniperServiceGateway
LENOVO	CNOS	G8052 Rackswitch	SWITCH	lenovoSwitch
LENOVO	CNOS	G8124 Rackswitch	SWITCH	lenovoSwitch
LENOVO	CNOS	G8264 Rackswitch	SWITCH	lenovoSwitch
LENOVO	CNOS	G8272 CNOS Rackswitch	SWITCH	lenovoSwitch
LENOVO	CNOS	G8296 CNOS Rackswitch	SWITCH	lenovoSwitch
LENOVO	CNOS	G8332 CNOS Rackswitch	SWITCH	lenovoSwitch
LENOVO	CNOS	Lenovo G Rackswitch Family Device	SWITCH	lenovoSwitch
LENOVO	CNOS	Lenovo NE Rackswitch Family Device	SWITCH	lenovoSwitch
LENOVO	Redfish Instance	Lenovo XCC	SERVER	SLM-ComputerSystem
LENOVO	CNOS	NE10032 Rackswitch	SWITCH	lenovoSwitch
LENOVO	CNOS	NE1032 Rackswitch	SWITCH	lenovoSwitch
LENOVO	CNOS	NE1032T Rackswitch	SWITCH	lenovoSwitch
LENOVO	CNOS	NE1072T Rackswitch	SWITCH	lenovoSwitch
LENOVO	CNOS	NE2572 Rackswitch	SWITCH	lenovoSwitch
LINUX*	CentOS 4/5/6/7	Linux - CentOS	SERVER	SLM-ComputerSystem
LINUX*	Redhat 4/5/6/7	Linux - Redhat	SERVER	SLM-ComputerSystem
LINUX*	SUSE	Linux - SUSE	SERVER	SLM-ComputerSystem
LINUX*	VMWARE ESX	Linux - VMWARE	SERVER	SLM-ComputerSystem
LINUX*	VMWARE HOST	Linux - VMWARE HOST Running Linux	SERVER	SLM-ComputerSystem
LINUX*	Solaris 9 and higher	Solaris	SERVER	SLM-ComputerSystem
NETGEAR	Netgear Switch OS	FS726T	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	FS726TP	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	FS728TP	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	FS728TPv2	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	FS752TP	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	FSM7226RS	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	FSM7250RS	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	FSM726S	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	FSM726v3	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	FSM7326P	SWITCH	MANAGED_SWITCH



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
NETGEAR	Netgear Switch OS	FSM7328PS	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	FSM7328S	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	FSM7352PS	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	FSM7352S	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	FSM750S	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GS108Tv2	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS110T	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS110TP	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS510TP	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS716Tv2	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS724TP	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS724TPS	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS724TS	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS724Tv3	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS728TPS	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS728TS	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS748TP	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS748TPS	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS748TS	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS748Tv3	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS748Tv4	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS752TPS	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS752TS	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS752TXP	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GS752TXS	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	GSM5212P	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM712F	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7212	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7212F	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7212P	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7224	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7224P	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7224R	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7224RP	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7224v1	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7224v2	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7228PS	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7248	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7248R	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7248RP	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7248v2	SWITCH	MANAGED_SWITCH



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
NETGEAR	Netgear Switch OS	GSM7252PS	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7312	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7312	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7324	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7328FS	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7328S	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7328Sv2	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7352S	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	GSM7352Sv2	SWITCH	MANAGED_SWITCH
NETGEAR	Netgear Switch OS	S3300-28X-PoE+	SWITCH	SMART_SWITCH
NETGEAR	Netgear Switch OS	XSM7224S	SWITCH	MANAGED_SWITCH
NUTANIX	Nutanix	Nutanix Cluster	SERVER	NUTANIX_CLUSTER
NUTANIX	AOS	Nutanix HCI Appliance	HCI APPLIANCE	NUTANIX_CLUSTER
PLURBUS	Open Netvisor Linux (ONVL)	Pluribus	SWITCH	DDBASE.DEVICE
REDFISH	Redfish	Redfish Instance	SERVER	SLM-ComputerSystem
RUCKUS	Ruckus OS	Ruckus AP R310	WIRELESS ACCESS POINT	Access_Point
RUCKUS	Ruckus OS	Ruckus AP R310	WIRELESS CONTROLLER	UNLEASHED_Access_Point
RUCKUS	Ruckus OS	Ruckus Wireless ZD1200	WIRELESS CONTROLLER	Zone_Director
SONICWALL	SonicOS	Generic SonicWALL	FIREWALL	SONICWALL
SONICWALL	SonicOS	Generic SonicWALL SRA	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL NSA 220	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL NSA 220 Wireless	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL NSA 240	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL NSA 2400	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL NSA 250M	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL NSA 250M Wireless	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL NSA 2600	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL NSA 3500	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL NSA 3600	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL NSA 4500	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL NSA 4600	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL NSA 5600	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL NSA 6600	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL NSA E5500	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL NSA E6500	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL NSA E7500	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL NSA E8500	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL NSA E8510	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL PRO 1260	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL PRO 2040	FIREWALL	SONICWALL



# OMNM v8 - powered by Cruz Operations Center

## Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
SONICWALL	SonicOS	SonicWALL PRO 4060	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL PRO 5060	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL SOHO	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL SOHO WIRELESS	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL SRA 1200	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL SRA 1600	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL SRA 4600	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL SuperMassive 10200	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL SuperMassive 10400	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL SuperMassive 10800	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL SuperMassive 9200	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL SuperMassive 9400	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL SuperMassive 9600	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL SuperMassive 9800	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 100	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 105	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 105 Wireless	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 180	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 190	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 200 Wireless	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 205	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 205 Wireless	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 210	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 210 Wireless	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 215	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 215 Wireless	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 300	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 300 Wireless	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 400	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 400 Wireless	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 500	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 500 Wireless	FIREWALL	SONICWALL
SONICWALL	SonicOS	SonicWALL TZ 600	FIREWALL	SONICWALL
SONUS	Sonus	Sonus DSC SWe	SERVER	SonusDSCProductFamily
SONUS	Sonus	Sonus SBC 5000	SESSION BORDER CONTROLLER	SonusSBCProductFamily
VMWARE	vCenter Device Driver	VMware-vCenter-Server	SERVER	vCenter
YYATTA	ddvyatta	Vyatta Firewall 5400	FIREWALL	DDBASE.DEVICE
WBEM	WBEM	CIM	SERVER	SLM-ComputerSystem
WBEM	WBEM	RHEL	SERVER	SLM-ComputerSystem
WBEM	WBEM	SUSE	SERVER	SLM-ComputerSystem
WBEM	WBEM	VMWARE	SERVER	SLM-ComputerSystem



# OMNM v8 - powered by Cruz Operations Center Device Support Matrix

OMNM v8, powered by Cruz Operations Center, supports heterogenous converged infrastructures including servers, storage, networking and more. This document contains the list of supported device drivers and operating systems for OMNM; however is not exhaustive and due to the fluid nature of the 3rd-party support process, there may be some devices not listed.

Generated 2/1/19

[If you have questions on specific support, please contact sales@dell-omnm.com.](mailto:sales@dell-omnm.com)

Vendor	OS	Model	Device Type	Entity within Product
WBEM	WBEM	VMWARE HOST	SERVER	SLM-ComputerSystem
WINDOWS*	Win XP /7 /8 /10 /2000 /2003 /2008 /2012 /2016	Windows	SERVER	SLM-ComputerSystem

\*NOTES REGARDING SERVER SUPPORT: The product supports discovery of Server Operating systems using WMI (Windows) and WBEM (Linux).

Support includes OS's that may be running as VM's on hypervisors, such as KVM, Esx, HyperV or as OS directly installed on x86 hardware and also includes leading vendors like Dell EMC, HPE, SuperMicro, Cisco, Lenovo, and more.

\*\*OME inventory items are populated through integration with OpenManage Essentials (OME) and supports inventory reporting, OME Alerts and ICMP monitoring. There is no direct management of devices populated from OME.

Powered by Cruz Operations Center from Dorado Software, Inc.

Copyright © 2019 Dorado Software, Inc. Manufacturer of OMNM. All rights reserved.

Dorado and Cruz Operations Center are trademarked by Dorado Software. Other trademarks may be trademarks of their respective owners.